



AMFEC

AMERICAN FOOD EQUIPMENT COMPANY



AMFEC


23



MATERIAL HANDLING EQUIPMENT
VAT/COMBO DUMPER

WWW.AMFEC.COM

VAT/COMBO DUMPER



The VAT/Combo Dumper is a versatile and robust solution designed for efficient handling of combos and vats in industrial environments. Constructed from durable stainless steel, this hydraulic-powered unit offers reliable performance and longevity, making it suitable for demanding operations. Its design is optimized to accommodate vats made from a variety of materials, including cardboard, stainless steel, and plastic, demonstrating its flexibility and adaptability in diverse industrial applications.

APPLICATION

One of the standout features of the VAT/Combo Dumper is its impressive lifting capacity. Capable of handling up to 3000 lbs., the unit ensures that even the heaviest loads can be lifted and dumped with ease, thereby enhancing productivity and safety in the workplace. This capability is particularly beneficial in settings where large volumes of materials need to be moved quickly and efficiently, such as in food

processing, manufacturing, and waste management industries.

EFFICIENCY

In addition to its high lifting capacity and robust construction, the VAT/Combo Dumper is designed with user convenience and operational efficiency in mind. The hydraulic system provides smooth and controlled lifting and dumping actions, reducing the risk of spillage and ensuring precise handling of contents. This feature, combined with the unit's sturdy build and versatile design, makes the VAT/Combo Dumper an invaluable asset for companies seeking to streamline their material handling processes and maintain high standards of operational efficiency.

STANDARD OPTIONS

- 5 H.P. stainless steel hydraulic power unit
- Standard dump height up to 85" maximum
- 40° standard discharge angle
- Heavy-duty hydraulic cylinders
- Adjustable stainless steel vat hold-downs
- 3,000 lb. standard lifting capacity – heavier capacities available
- Starters & controls included in a stainless steel NEMA IV enclosure
- USDA acceptable

ADDITIONAL OPTIONS

- Side Loading
- Retractable discharge chute (designed to load AMFEC tumblers)
- Stainless Steel cylinders & fittings
- VEMAG cart attachment (lifts 2x carts)
- Brine Reservoir
- Hydraulic vat hold downs
- Pallet retract

MODEL OPTIONS

Available in Standard and High Lift

NOTES

[illegible]



COMMITTED TO ENGINEERING & MANUFACTURING EXCELLENCE



Phone:

208-614-6030

Mail:

info@amfec.com

Website:

www.amfec.com

Address:

4923 East Linden Street
Caldwell, ID 83605

SEE MORE ON
OUR WEBSITE

